

# SPEC & PRICE LIST

## MAVERICK 905S 21inch NORMAL RIM

[2pieces]

Size	Price (JPY/1pc)			S-Lo Disk 5H-114.3							Lo Disk 5H-112 5H-114.3 5H-120							Hi Disk 5H-112 5H-114.3 5H-120													
	PREMIUM SILVER	GUN-META/POLISH, BLACK/POLISH	MAT BLACK	Order Inset	Inset (Rim Depth) mm						Order Inset	Inset (Rim Depth) mm						Order Inset	Inset (Rim Depth) mm												
21×9.0J	¥104,000	¥103,000	¥102,000	49~23		47(57)	41(63)	35(69)	29(75)	23(81)		40~14			39(56)	33(62)	27(68)	21(74)	15(80)		27~1					25(57)	19(63)	13(69)	7(75)	1(81)	
21×9.5J	¥105,000	¥104,000	¥103,000	55~16	53(57)	47(63)	41(69)	35(75)	29(81)	23(87)	17(93)	46~7		45(56)	39(62)	33(68)	27(74)	21(80)	15(86)	9(92)	33~7				31(57)	25(63)	19(69)	13(75)	7(81)	1(87)	-5(93)
21×10.0J	¥106,000	¥105,000	¥104,000	55~17	53(63)	47(69)	41(75)	35(81)	29(87)	23(93)	17(99)	53~8	51(56)	45(62)	39(68)	33(74)	27(80)	21(86)	15(92)	9(98)	40~6		37(57)	31(63)	25(69)	19(75)	13(81)	7(87)	1(93)	-5(99)	
21×10.5J	¥107,000	¥106,000	¥105,000	55~23	53(70)	47(76)	41(82)	35(88)	29(94)	23(100)		53~14	51(63)	45(69)	39(75)	33(81)	27(87)	21(93)	15(99)	46~1	43(58)	37(64)	31(70)	25(76)	19(82)	13(88)	7(94)	1(100)			
21×11.0J	¥108,000	¥107,000	¥106,000	55~23	53(76)	47(82)	41(88)	35(94)	29(100)	23(106)		53~14	51(69)	45(75)	39(81)	33(87)	27(93)	21(99)	15(105)	46~1	43(64)	37(70)	31(76)	25(82)	19(88)	13(94)	7(100)	1(106)			

■DISK FINISH : PREMIUM SILVER, GUN-META/POLISH, BLACK/POLISH, MATTE BLACK

■COMPONENT PARTS : CENTER CAP (2 colors for Hi type and 6 colors for Lo type are available.) ,METAL VALVE STEM

\*As of November 30, 2023, the long adapter is no longer included.

■RIM DEPTH : THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

\*SAME PRICES ON YOUR CUSTOM ORDER.

Size	5H/100				5H/112				5H/114.3				5H/120				Height of hub clearance (mm)		
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Hi
21 Normal	—	—	—	—	φ66.5	705KG	φ28.5	φ15					φ72.5	690KG	φ28.5	φ15			
20 Reverse	—	—	—	—					φ73	690KG	φ30	φ13	—	—	—	—	26	35	48
20 Normal								—					—	—	—				
19 Reverse	φ65	540KG	φ28.5	φ15	φ66.5	700KG	φ28.5	φ15					—	—	—	—			
18 Reverse					—	—	—	—					—	—	—	—			



# SPEC & PRICE LIST

## MAVERICK 905S 20inch NORMAL RIM

[2pieces]

Size	Price (JPY/1pc)			S-Lo Disk 5H-114.3								Lo Disk 5H-100 5H-114.3								Hi Disk 5H-114.3																		
	PREMIUM SILVER	GUN-META/POLISH, BLACK/POLISH	MAT BLACK	Order Inset	Inset (Rim Depth) mm								Order Inset	Inset (Rim Depth) mm								Order Inset	Inset (Rim Depth) mm															
20×8.5J	¥90,000	¥89,000	¥88,000	39~21			39(58)	35(62)	29(68)	23(74)					31~13			31(57)	27(61)	21(67)	15(73)					18~0					18(57)	13(62)	7(68)	1(74)				
20×9.0J	¥91,000	¥90,000	¥89,000	46~15		46(58)	41(63)	35(69)	29(75)	23(81)	17(87)			38~7			38(57)	33(62)	27(68)	21(74)	15(80)	9(86)			25~-6					25(57)	19(63)	13(69)	7(75)	1(81)	-5(87)			
20×9.5J	¥92,000	¥91,000	¥90,000	52~9	52(58)	47(63)	41(69)	35(75)	29(81)	23(87)	17(93)	11(99)		44~1		44(57)	39(62)	33(68)	27(74)	21(80)	15(86)	9(92)	3(98)	31~-13			31(57)	25(63)	19(69)	13(75)	7(81)	1(87)	-5(93)	-11(99)				
20×10.0J	¥93,000	¥92,000	¥91,000	53~3	53(63)	47(69)	41(75)	35(81)	29(87)	23(93)	17(99)	11(105)	5(111)	51~-5	51(56)	45(62)	39(68)	33(74)	27(80)	21(86)	15(92)	9(98)	3(104)	38~-18		37(57)	31(63)	25(69)	19(75)	13(81)	7(87)	1(93)	-5(99)	-11(105)	-17(111)			
20×10.5J	¥94,000	¥93,000	¥92,000	53~9	53(70)	47(76)	41(82)	35(88)	29(94)	23(100)	17(106)	11(112)		51~1	51(63)	45(69)	39(75)	33(81)	27(87)	21(93)	15(99)	9(105)	3(111)	44~-12	43(58)	37(64)	31(70)	25(76)	19(82)	13(88)	7(94)	1(100)	-5(106)	-11(112)				
20×11.0J	¥95,000	¥94,000	¥93,000	53~9	53(76)	47(82)	41(88)	35(94)	29(100)	23(106)	17(112)	11(118)		51~1	51(69)	45(75)	39(81)	33(87)	27(93)	21(99)	15(105)	9(111)	3(117)	44~-13	43(64)	37(70)	31(76)	25(82)	19(88)	13(94)	7(100)	1(106)	-5(112)	-11(118)				

■ DISK FINISH : PREMIUM SILVER, GUN-META/POLISH, BLACK/POLISH, MATTE BLACK

■ COMPONENT PARTS : CENTER CAP (2 colors for Hi type and 6 colors for Lo type are available.) ,METAL VALVE STEM

\*As of November 30, 2023, the long adapter is no longer included.

■ RIM DEPTH : THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

\*SAME PRICES ON YOUR CUSTOM ORDER.

Size	5H/100				5H/112				5H/114.3				5H/120				Height of hub clearance (mm)		
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Hi
21 Normal	—	—	—	—	φ66.5	705KG	φ28.5	φ15	φ73	690KG	φ30	φ13	φ72.5	690KG	φ28.5	φ15	26	35	48
20 Reverse	—	—	—	—									—	—	—	—			
20 Normal	φ65	540KG	φ28.5	φ15	—	—	—	—					—	—	—				
19 Reverse					φ66.5	700KG	φ28.5	φ15					—	—	—	—			
18 Reverse					—	—	—	—	—	—	—	—	—	—					

# SPEC & PRICE LIST

## MAVERICK 905S 19inch REVERSE RIM

[2pieces]

Size	Price (JPY/1pc)			S-Lo Disk 5H-114.3							Lo Disk 5H-100 5H-112 5H-114.3							Hi Disk 5H-114.3																	
	PREMIUM SILVER	GUN-META/POLISH, BLACK/POLISH	MAT BLACK	Order Inset	Inset (Rim Depth) mm							Order Inset	Inset (Rim Depth) mm							Order Inset	Inset (Rim Depth) mm														
19×7.5J	¥74,000	¥73,000	¥72,000	49~39		49(35)	44(40)	39(45)						41~31			41(34)	36(39)	30(45)							28~18				28(34)	22(40)	18(44)			
19×8.0J	¥75,000	¥74,000	¥73,000	55~33	55(35)	50(40)	44(46)	38(52)	33(57)					47~25			47(34)	42(39)	36(45)	30(51)	25(56)					34~12				33(35)	28(40)	22(46)	16(52)	12(56)	
19×8.5J	¥76,000	¥75,000	¥74,000	56~26	56(41)	50(47)	44(53)	38(59)	32(65)	26(71)				53~18	53(35)	48(40)	42(46)	36(52)	30(58)	24(64)	18(70)					40~5			40(35)	34(41)	28(47)	22(53)	16(59)	10(65)	5(69)
19×9.0J	¥77,000	¥76,000	¥75,000	56~19	56(47)	50(53)	44(59)	38(65)	32(71)	26(77)	20(83)		54~11	54(40)	48(46)	42(52)	36(58)	30(64)	24(70)	18(76)	12(82)				46~2	46(35)	40(41)	34(47)	28(53)	22(59)	16(65)	10(71)	4(77)	-2(83)	
19×9.5J	¥78,000	¥77,000	¥76,000	56~18	56(54)	50(60)	44(66)	38(72)	32(78)	26(84)	20(90)	54~10	54(47)	48(53)	42(59)	36(65)	30(71)	24(77)	18(83)	12(89)				46~3	46(42)	40(48)	34(54)	28(60)	22(66)	16(72)	10(78)	4(84)	-2(90)		
19×10.0J	¥79,000	¥78,000	¥77,000	56~25	56(60)	50(66)	44(72)	38(78)	32(84)	26(90)		54~17	54(53)	48(59)	42(65)	36(71)	30(77)	24(83)	18(89)					46~4	46(48)	40(54)	34(60)	28(66)	22(72)	16(78)	10(84)	4(90)			
19×10.5J	¥80,000	¥79,000	¥78,000	56~21	56(66)	50(72)	44(78)	38(84)	32(90)	26(96)		54~13	54(59)	48(65)	42(71)	36(77)	30(83)	24(89)	18(95)	13(100)				46~0	46(54)	40(60)	34(66)	28(72)	22(78)	16(84)	10(90)	4(96)			

**WARNING : THE HIGHEST SURFACE POINT OF CENTER DISK COMBINED WITH OUTER RIM DEPTH OF UNDER 40mm WILL BE BEYOND OUTER RIM FLANGE. (OUTER RIM DEPTH OF 34mm = 7mm BEYOND)**

■ DISK FINISH : PREMIUM SILVER, GUN-META/POLISH, BLACK/POLISH, MATTE BLACK

■ COMPONENT PARTS : CENTER CAP (2 colors for Hi type and 6 colors for Lo type are available.) ,METAL VALVE STEM

\*As of November 30, 2023, the long adapter is no longer included.

■ RIM DEPTH : THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

\*SAME PRICES ON YOUR CUSTOM ORDER.

Size	5H/100				5H/112				5H/114.3				5H/120				Height of hub clearance (mm)																	
	HUB φ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUB φ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUB φ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUB φ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Hi															
21 Normal	—	—	—	—	φ66.5	705KG	φ28.5	φ15	φ73	690KG	φ30	φ13	φ72.5	690KG	φ28.5	φ15	26	35	48															
20 Reverse	—	—	—	—																—	—	—	—	—	—	—	—	—	—	—	—	—	—	
20 Normal	—	—	—	—																—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
19 Reverse	φ65	540KG	φ28.5	φ15																φ66.5	700KG	φ28.5	φ15	—	—	—	—	—	—	—	—	—	—	—
18 Reverse	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—															

# SPEC & PRICE LIST

## MAVERICK 905S 18inch REVERSE RIM

[2pieces]

Size	Price (JPY/1pc)			S-Lo Disk 5H-114.3								Lo Disk 5H-100 5H-114.3									
	PREMIUM SILVER	GUN-META/POLISH, BLACK/POLISH	MAT BLACK	Order Inset	Inset (Rim Depth) mm								Order Inset	Inset (Rim Depth) mm							
18×7.5J	¥66,000	¥65,000	¥64,000	49~31		49(35)	44(40)	38(46)	32(52)			41~23		41(34)	36(39)	30(45)	24(51)				
18×8.0J	¥67,000	¥66,000	¥65,000	55~25	55(35)	50(40)	44(46)	38(52)	32(58)	26(64)		47~17	47(34)	42(39)	36(45)	30(51)	24(57)	18(63)			
18×8.5J	¥68,000	¥67,000	¥66,000	56~18	56(40)	50(46)	44(52)	38(58)	32(64)	26(70)	20(76)	53~10	53(34)	48(39)	42(45)	36(51)	30(57)	24(63)	18(69)		
18×9.0J	¥69,000	¥68,000	¥67,000	56~19	56(47)	50(53)	44(59)	38(65)	32(71)	26(77)	20(83)	54~11	54(40)	48(46)	42(52)	36(58)	30(64)	24(70)	18(76)		
18×9.5J	¥70,000	¥69,000	¥68,000	56~18	56(53)	50(59)	44(65)	38(71)	32(77)	26(83)	20(89)	54~10	54(46)	48(52)	42(58)	36(64)	30(70)	24(76)	18(82)		
18×10.0J	¥71,000	¥70,000	¥69,000	56~25	56(60)	50(66)	44(72)	38(78)	32(84)	26(90)		54~17	54(53)	48(59)	42(65)	36(71)	30(77)	24(83)	18(89)		

**WARNING : THE HIGHEST SURFACE POINT OF CENTER DISK COMBINED WITH OUTER RIM DEPTH OF UNDER 40mm WILL BE BEYOND OUTER RIM FLANGE. (OUTER RIM DEPTH OF 34mm = 7mm BEYOND)**

■ DISK FINISH : PREMIUM SILVER, GUN-META/POLISH, BLACK/POLISH, MATTE BLACK

■ COMPONENT PARTS : CENTER CAP (2 colors for Hi type and 6 colors for Lo type are available.) ,METAL VALVE STEM

\*As of November 30, 2023, the long adapter is no longer included.

■ RIM DEPTH : THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

\*SAME PRICES ON YOUR CUSTOM ORDER.

Size	5H/100				5H/112				5H/114.3				5H/120				Height of hub clearance (mm)									
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Hi							
21 Normal	—	—	—	—	φ66.5	705KG	φ28.5	φ15	φ73	690KG	φ30	φ13	φ72.5	690KG	φ28.5	φ15	26	35	48							
20 Reverse	—	—	—	—									—	—	—	—				—	—	—	—	—	—	—
20 Normal	φ65	540KG	φ28.5	φ15	—	—	—	—					—	—	—	—				—	—	—	—	—	—	—
19 Reverse					φ66.5	700KG	φ28.5	φ15					—	—	—	—				—	—	—	—	—	—	—
18 Reverse					—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				